SATCO | NUVO

REMINISCENT™

GRAY LED FILAMENT LAMPS

ELEGANT GRAY FILAMENT

ULTRA-CLEAR GLASS BULB

EXCELLENT COLOR RENDERING

SUGGESTED APPLICATIONS
Residential
Multi-Family
Hospitality
High-End Applications

Efficiency Of LED With The Look Of A Traditional Bulb Filament

SATCO|NUVO's Reminiscent lamps offer the traditional look of incandescent bulbs with the energy savings of LED technology. The gray filaments provide a clean aesthetic, blending in with many current fixture and decor trends. With brilliant, clear glass and a color rendering index over 90, these lamps ensure color accuracy while emitting a warm light to enhance the ambiance of living spaces, restaurants, hotels and more.

GENERAL SPECIFICATIONS

Input Voltage: 120V
Frequency: 60Hz
Power Factor: 0.7
Dimming: Phase-Cut Dimmable Down to 10%
Efficacy: Up to 87 LPW
CRI: 93+
Beam Angle: 360°

Location Rating: Wet
Ambient Operating Temperature: -20°C (-4°F) to +45°C (+113°F)
Enclosed Fixture Rating: Yes
Packaging Type: Individual Retail
Functional Life: 15,000 Hours
Warranty: 2 Years

ITEM SPECIFICATIONS / ORDER INFO / BOXED

Item	Lamp Shape	Filament Style	Base	Lumens	Wattage	Incandescent Replacement Wattage	CCT	Pack Type	Pack Qty
S12558	A15	Coil	E26	350	4W	40W	2700K	Box	24
S12559	A15	Coil	E26	350	4W	40W	3000K	Box	24
S11521	A19	Coil	E26	500	6W	40W	2700K	Box	24
S11530	A19	Coil	E26	500	6W	40W	3000K	Box	24
S11525R1	B11	Coil	E12	350	4W	40W	2700K	Box	24
S12554	B11	Coil	E26	350	4W	40W	2700K	Box	24
S11533	B11	Coil	E12	350	4W	40W	3000K	Box	24
S12555	B11	Coil	E26	350	4W	40W	3000K	Box	24
S11526R1	CA11	Coil	E12	350	4W	40W	2700K	Box	24
S11534	CA11	Coil	E12	350	4W	40W	3000K	Box	24
S12556	CA11	Coil	E26	350	4W	40W	2700K	Box	24
S12557	CA11	Coil	E26	350	4W	40W	3000K	Box	24
S12560	G16.5	Coil	E12	350	4W	40W	2700K	Box	24
S12561	G16.5	Coil	E12	350	4W	40W	3000K	Box	24
S11522	G25	Coil	E26	500	6W	60W	2700K	Box	24
S11528	G25	Loop	E26	500	6W	60W	2700K	Box	24
S11531	G25	Coil	E26	500	6W	60W	3000K	Box	24
S11520	ST19	Coil	E26	500	6W	40W	2700K	Box	24
S11527	ST19	Loop	E26	500	6W	40W	2700K	Box	24
S11529	ST19	Coil	E26	500	6W	40W	3000K	Box	24
S11524	T9	Coil	E26	500	6W	40W	2700K	Box	24
S11523	T9	Straight	E26	500	6W	40W	2700K	Box	24
S11532	T9	Coil	E26	500	6W	40W	3000K	Box	24

ITEM SPECIFICATIONS / ORDER INFO /CARDED

Item	Lamp Shape	Filament Style	Base	Lumens	Wattage	Incandescent Replacement Wattage	CCT	Pack Type	Pack Qty
S10521	A19	Coil	E26	500	6W	40W	2700K	1/Card	24
S10523R1	B11	Coil	E12	350	4W	40W	2700K	2/Card	24
S10524R1	CA11	Coil	E12	350	4W	40W	2700K	2/Card	24
S10520	ST19	Coil	E26	500	6W	40W	2700K	1/Card	24
S10525	ST19	Loop	E26	500	6W	40W	2700K	1/Card	24
S10522	T9	Coil	E26	500	6W	40W	2700K	2/Card	24

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
Meets requirements of ICES-005 issue 5 class B for use in residential applications.

Replacement wattage shown depends on application and fixture.
Specifications are subject to change without prior notice.
Lamps may not be compatible with all dimmers.

© Satco Products, Inc. All rights reserved. Rev. 8/25 SN1654

DIMENSIONS / WEIGHTS / BOXED

Item	MOL (A)	MOD (B)	Weight
S12558	3.39"	1.38"	0.04 Lbs.
S12559	3.39"	1.38"	0.04 Lbs.
S11521	4.17"	2.36"	0.08 Lbs.
S11530	4.21"	2.36"	0.08 Lbs.
S11525R1	3.94"	1.38"	0.03 Lbs.
S12554	3.43"	1.38"	0.04 Lbs.
S11533	3.94"	1.38"	0.03 Lbs.
S12555	3.43"	1.38"	0.04 Lbs.
S11526R1	4.49"	1.38"	0.03 Lbs.
S11534	4.49"	1.38"	0.03 Lbs.
S12557	4.17"	1.38"	0.04 Lbs.
S12560	3.23"	1.97"	0.03 Lbs.
S12561	3.23"	1.97"	0.03 Lbs.
S11522	4.72"	3.15"	0.09 Lbs.
S11528	4.72"	3.15"	0.09 Lbs.
S11531	4.72"	3.15"	0.09 Lbs.
S11520	5.31"	2.28"	0.08 Lbs.
S11527	5.31"	2.28"	0.08 Lbs.
S11529	5.31"	2.28"	0.08 Lbs.
S11524	7.48"	1.18"	0.09 Lbs.
S11523	11.02"	1.18"	0.14 Lbs.
S11532	7.48"	1.18"	0.09 Lbs.
S12556	4.17"	1.38"	0.04 Lbs.

DIMENSIONS / WEIGHTS / CARDED

Item	MOL (A)	MOD (B)	Weight
S10521	4.17"	2.36"	0.08 Lbs.
S10523R1	3.94"	1.38"	0.03 Lbs.
S10524R1	4.49"	1.38"	0.03 Lbs.
S10520	5.31"	2.28"	0.08 Lbs.
S10525	5.31"	2.28"	0.08 Lbs.
S11522	4.72"	3.15"	0.09 Lbs.



S11520
S10520
S11529



S11527
S10525



S11524
S10522
S11532



S11523



S12558
S12559



S11525R1
S11533
S10523R1



S11526R1
S11534
S10524R1



S11521
S10521
S11530



S11522
S11531



S11528

© Satco Products, Inc. All rights reserved. Rev. 8/25 SN1654